

**Table 6.1: Hydrologic Model Parameter Summary**

Sanitary Catchment #	Area			% of Area Contributing to I/I		
	Res	Com	Ind	Res	Com	Ind
1	0.0	11.0	25.5	2.00%	1.00%	0.00%
2	20.3	0.0	7.5	2.00%	1.00%	0.00%
3	32.9	0.0	0.0	2.00%	1.00%	0.00%
4	0.0	22.4	0.0	2.00%	1.00%	0.00%
5	50.3	0.0	0.0	2.00%	1.00%	0.00%
6	34.7	0.0	0.0	2.00%	1.00%	0.00%
7	42.3	0.0	7.5	2.00%	1.00%	0.00%
8	0.0	18.0	0.0	2.00%	1.00%	0.00%
9	0.0	2.6	0.0	2.00%	1.00%	0.00%
10	24.2	9.1	0.0	2.00%	1.00%	0.00%
11	0.0	0.0	0.0	2.00%	1.00%	0.00%
12	17.7	27.5	0.0	2.00%	1.00%	0.00%
12A	0.0	0.0	0.0	2.00%	1.00%	0.00%
13	6.8	16.8	0.0	2.00%	1.00%	0.00%
14	53.5	5.0	0.0	13.00%	6.50%	0.00%
15	8.0	6.0	0.0	13.00%	6.50%	0.00%
16	23.8	3.2	0.0	13.00%	6.50%	0.00%
17	2.0	5.8	0.0	13.00%	6.50%	0.00%
18	5.3	4.8	0.0	13.00%	6.50%	0.00%
19	0.0	17.8	0.0	13.00%	6.50%	0.00%
19a	0.0	5.9	0.0	13.00%	6.50%	0.00%
20	12.4	1.4	6.7	13.00%	6.50%	0.00%
21	0.0	18.0	91.0	2.00%	1.00%	0.00%
22	0.0	0.0	90.0	2.00%	1.00%	0.00%
22A	0.0	0.0	46.5	2.00%	1.00%	0.00%
22B	0.0	0.0	46.5	2.00%	1.00%	0.00%
23	0.0	0.0	49.5	2.00%	1.00%	0.00%
24	19.0	0.0	0.0	2.00%	1.00%	0.00%
25	28.2	0.4	0.0	2.00%	1.00%	0.00%
26	41.8	0.0	0.0	2.00%	1.00%	0.00%
27	51.0	0.0	0.0	2.00%	1.00%	0.00%
28	38.2	0.0	0.0	2.00%	1.00%	0.00%
29	49.1	0.0	0.0	2.00%	1.00%	0.00%
30	37.4	0.0	0.0	2.00%	1.00%	0.00%
31	106.2	0.6	0.0	2.00%	1.00%	0.00%
32	71.0	0.9	0.0	2.00%	1.00%	0.00%
33	28.4	0.3	0.0	2.00%	1.00%	0.00%
34	31.5	0.0	0.0	2.00%	1.00%	0.00%
35	21.0	2.8	0.0	2.00%	1.00%	0.00%
36	25.8	0.0	0.0	13.00%	6.50%	0.00%
37	47.7	0.0	0.0	13.00%	6.50%	0.00%
38	36.1	0.8	0.0	13.00%	6.50%	0.00%
39	11.0	0.0	0.5	2.00%	1.00%	0.00%
39A	0.0	0.0	4.1	2.00%	1.00%	0.00%
40	10.1	0.0	0.0	2.00%	1.00%	0.00%
40A	10.2	0.0	0.0	2.00%	1.00%	0.00%
41	11.9	0.0	5.0	13.00%	6.50%	0.00%
42	16.9	0.9	0.0	13.00%	6.50%	0.00%
43	15.9	0.1	0.0	13.00%	6.50%	0.00%
44	68.8	0.7	0.0	13.00%	6.50%	0.00%
45	57.2	0.7	0.0	2.00%	1.00%	0.00%
46	34.0	0.0	0.0	2.00%	1.00%	0.00%
46a	8.5	0.0	0.0	2.00%	1.00%	0.00%
48	52.0	0.2	0.0	13.00%	6.50%	0.00%

Note: Areas reflect calibration development level (1999)